

Basic4Android4 by Wyken Seagrave





Published by Penny Press Ltd
www.basic4android.info





ISBN

9781871281200 (ebook)
9781491226735 (paperback)

Table of Contents

Foreword by Erel Uziel	4
Introduction	5
Who this Book is For	5
For the Beginner	5
For the Professional.....	5
What You Need to Run Basic4Android.....	5
Version of Basic4Android.....	5
How to Obtain this Book.....	6
How this Book is Organized	6
Conventions Used in this Book	7
Code	7
Specifying Menus	7
Specifying Functional Arguments.....	7
Icons.....	8
Acronyms	8
Support 10	
Acknowledgements.....	10
We'd Like to Hear from You	10
About the Author.....	11
Part 1: Basics	12
1.1 Getting Started.....	13
Two Versions.....	13
Installing the Trial Version	13
Download Basic4Android Trial	13
Install and Run the Trial.....	13
Your First App.....	15
Save the program	16
B4A-Bridge	17
Notes on Bluetooth Connection.....	17
Install the B4A-Bridge app on your device	18
Run B4A-Bridge on your device.....	18
Connect the IDE to the device.....	18
Wireless connections.....	19

Bluetooth connections.....	19
B4A Designer.....	20
Stopping B4A-Bridge.....	21
Running your new app.....	22
Compile and Run.....	22
Remote Compilation.....	23
Approve the app on your device.....	23
Rotate your device.....	25
Debugging.....	25
Setting a breakpoint.....	25
When the User Rotates a Device.....	27
More about Debugging.....	27
Logging Events.....	27
Your Second App: Using the Designer.....	28
The View and Layout Concepts.....	28
Running the Designer.....	29
Connect the Designer to your device.....	30
Add a button.....	30
Configure your button.....	32
Generate Members.....	33
Add code to button.....	34
Load the Layout.....	35
Run your app.....	35
Your Third App.....	36
Stopping B4A-Bridge.....	36
More about Designer.....	36
1.2 The Integrated Development Environment.....	37
Menu and Toolbar.....	38
File menu.....	38
Edit menu.....	39
Designer.....	40
Project menu.....	40
Tools menu.....	42
Help Menu.....	44
Toolbar.....	44
Code area.....	45
Regions.....	45
Code header.....	46
Commenting and uncommenting code 	47
Bookmarks 	47
Indentation 	48
Autocomplete 	49
Autocomplete event subroutines.....	50
Comments as Documentation.....	51

Context Menu.....	51
Highlighting occurrences of words.....	53
Detail Area.....	53
Tabs 53	
Modules Tab 	54
Files Tab 	54
Logs Tab 	55
Libs Tab 	55
The Warning Engine.....	56
Editor Highlighting.....	57
Ignoring Warnings.....	57
The warnings.....	57
1.3 Upgrade to Full Version.....	59
About Full Versions.....	59
Basic4Android Standard Version.....	59
Basic4Android Enterprise Version.....	59
Basic4Android Site License.....	59
Academic Licenses.....	59
Purchase.....	59
Java JDK and Android SDK Installation.....	59
Check if the Java JDK is already installed.....	59
Install the 32 bit Java JDK.....	60
Install the Android SDK and a platform.....	60
Install the SDK.....	60
Install and configure Basic4Android.....	62
Download and install Basic4Android.....	62
Open Basic4Android.....	63
License.....	63
Configure Paths.....	63
Javac.exe.....	63
Android.jar.....	64
Additional Libraries.....	64
Updating to a new version.....	65
Part 2: Creating Your App.....	66
2.1 The Project.....	67
Project Attributes.....	67
ApplicationLabel:.....	67
CanInstallToExternalStorage:.....	67
CustomBuildAction:.....	67
SupportedOrientations:.....	68
VersionCode:.....	68
VersionName:.....	68
Library compilation attributes.....	68

Project Icon	68
Package name	68
Unique name	68
Allowed Characters	68
Google Play URL	69
Caution: Name cannot be changed	69
The Manifest	69
Manifest Editor	69
Escaping end of string characters	70
Editor commands	70
More information	72
Do Not Overwrite Manifest File Option	72
Project Menu	72
2.2. Designing Your App	73
Fulfilling Wants and Needs	73
Evolving Environment	73
The Android Screen	74
Status Bar	74
Navigation Bar	74
Notifications	74
App Design Step by Step	74
Basic Design Principles	74
Title Bar	74
Action Bar	75
Menu	75
Tabbed Views	75
Sliding Pages	75
Navigation Drawer	76
Advertising	76
Android Themes	76
More Advice	77
Managing Settings	77
Editing Settings	77
Saving and Retrieving Settings	77
Screens and Layouts	77
Multiple activities	78
Returning from an Activity	78
Overlays 78	
Menu Overlay	78
Layout as Overlay	78
The Designer	78
How to Detect the Display Type	79
LayoutValues	79
Detecting Device Orientation	79
Allowed Screen Orientation	79
Adding views by code	80

Example	80
dips 80	
DipToCurrent(Length as Int)	81
Percentage of Activity	81
Does the device have a keyboard?	81
App or Widget ?	82
Managing Permissions	82
2.3 Communicating with your User	83
Modal Dialogs	83
Msgbox	83
Msgbox2	83
InputList	84
InputMultiList	84
InputMap	85
Handling Long Lists	86
Dialogs Library	86
Handling Modal Dialogs when your App Pauses	87
ToastMessageShow	87
Alarms 87	
Notifications	88
ProgressDialog	88
ProgressBar	88
2.4 The Designer	90
File menu	90
AddView menu	91
Tools Menu	91
Generate Members	91
Bring To Front and Send To Back	92
Selecting Views	92
Duplicate Selected View	92
Remove Selected View	93
Change grid	93
Connect to Device or Emulator	93
Disconnect From Device	94
Show Abstract Designer	94
Run Script	94
Send To UI Cloud	94
Designer Status Line	95
Connection Status	95
Top Most	95
Designer Main Tab	95
Properties Editor	95
Image files	97
Layout variants	98
Standard Variant	99

Adding a Standard Variant	99
Adding Other Variants	99
Rotating the Emulator.....	100
Designer Scripts Tab.....	101
The Abstract Designer	101
Layout Menu	102
Zoom Menu	103
Tools Menu.....	103
Context menus	103
Selecting views	104
Example	104
Designer Scripts	106
Adding views by code	106
2.5 Designer Scripts Reference	107
Background.....	107
Designer Scripts and Activity Code	107
Key Concepts	107
Pixel	107
Resolution	107
dpi : dots per inch.....	107
Screen Size	108
dip	108
Text Size.....	108
Standard Screen.....	108
Scale	108
Dock and Fill Strategy.....	109
Designer Scripting Basics	109
Run Script Button	109
Current Variant Option	109
Scripting Areas	109
All Variants Script Area.....	110
Variant Specific Script Area	110
Activating Designer Scripts	110
Script Language	110
Variables	110
%x and %y.....	110
Screen Size	110
Properties Within Scripts	111
Warning: Set Internal Properties before External.....	111
Text Properties	111
Other Properties.....	112
Methods	112
Other Keywords.....	112
Activity Methods.....	112
Activity.RerunDesignerScript (LayoutFile As String, Width As Int, Height As Int)	112

AutoScale: Layouts for Different Sized Devices	112
How AutoScale works	113
How to See the Effect of AutoScale	113
How to See the Effect of AutoScale on Text Size.....	114
How to Use AutoScale.....	114
AutoScaleRate(rate).....	114
AutoScaleAll.....	114
AutoScale(View)	114
Different Layouts for Portrait and Landscape	115
Scaling strategy	115
Editing Views in a program.....	115
2.6 Compiling, Debugging & Testing	117
Compiling	117
Compilation Modes.....	117
Debug Legacy Mode	117
Debug Rapid Mode.....	117
Release Mode.....	117
Release (obfuscated).....	117
Debugging	118
Breakpoints.....	119
Breakpoint Limitations	119
Debugger Control.....	119
Debugger Menus	120
Legacy Debugging	121
Legacy Debugger Information Area.....	121
Global variables in Legacy Debugger	121
Local variables in Legacy Debugger	122
Rapid Debugging	122
Limitations of the Rapid Debugger.....	122
How the Rapid Debugger Works	123
Rapid Debugger Information Area.....	123
Editing Code using the Rapid Debugger	124
Logging 124	
Testing your App	125
B4A-Bridge	125
USB Debugging	125
The Emulator or Android Virtual Device (AVD) Manager.....	126
Introduction.....	126
How Basic4Android interacts with Emulated Devices.....	126
Using the Android Virtual Device Manager.....	126
Missing Tabs.....	127
Android Virtual Devices (AVDs).....	127
Creating an AVD	127
AVD Name	128
Device.....	129
Target.....	129

CPU / ABI	129
Keyboard.....	129
Skin	129
Front / Back Camera.....	129
Memory Options	130
Internal Storage	130
SD Card	130
Emulation Options.....	131
Creating a Device Definition	132
Running a Virtual Device and scaling for Real Size Emulation	133
No Scaling.....	133
Scale display to real size.....	133
Interacting with your Virtual Device	134
PC Keyboard Shortcuts	135
Mac Keyboard Shortcuts	135
Enabling Hardware Buttons	136
Exchanging files with the PC.....	138
Troubleshoot Connection Problems.....	141
2.7 Graphics and Drawing	142
Canvas Object.....	142
Initializing a Canvas.....	142
Most common Canvas functions.....	142
DrawBitmap (Bitmap1 As Bitmap, SrcRect As Rect, DestRect As Rect)	143
DrawBitmapRotated (Bitmap1 As Bitmap, SrcRect As Rect, DestRect As Rect, Degrees As Float)	143
DrawCircle (x As Float, y As Float, Radius As Float, Color As Int, Filled As Boolean, StrokeWidth As Float)	143
DrawColor (Color As Int)	143
DrawLine (x1 As Float, y1 As Float, x2 As Float, y2 As Float, Color As Int, StrokeWidth As Float)	143
DrawRect (Rect1 As Rect, Color As Int, Filled As Boolean, StrokeWidth As Float).....	143
DrawRectRotated (Rect1 As Rect, Color As Int, Filled As Boolean, StrokeWidth As Float, Degrees As Float)	143
DrawText (Text As String, x As Float, y As Float, Typeface1 As Typeface, TextSize As Float, Color As Int, Align1 As Align)	143
DrawTextRotated (Text As String, x As Float, y As Float, Typeface1 As Typeface, TextSize As Float, Color As Int, Align1 As Align, Degree As Float).....	144
Example Program	144
More Complex Examples	145
Drawing Methods	147
View Drawables.....	147
Drawables.....	147
Background Property.....	147
Example Code.....	147
StateListDrawable	149

NinePatchDrawable.....	150
Drawing Bitmaps on Panels or ImageViews	150
Diagrams / Charts	151
Charts Framework	152
2.8 Databases	153
Database fundamentals	153
Database	153
Table.....	153
Record	153
Field	153
Primary Key	154
Field Type	154
Relational Data	154
Database Files.....	155
KeyValueStore Class.....	155
Encrypting Databases	155
Database Administration.....	156
DBMS Tools	156
SQLiteBrowser	156
SQLiteSpy.....	156
SQL Object.....	156
Reference SQL Library	156
Declare SQL Object.....	156
Initialize SQL Object	157
DBUtils 157	
DBUtils Fundamentals.....	157
Preliminary SQL Steps.....	157
DBUtils Field Types.....	158
DBUtils Functions	158
Sample DBUtils Program.....	163
SQLite 164	
SQL	164
SQLite.....	164
More Information on SQLite	164
Sample SQLite Program.....	164
Manifest Typing	164
SQLiteExceptions	165
SQL Library	165
SQLite Commands	166
Database Creation	166
Table creation.....	166
Adding records	167
Updating records.....	167
Retrieving data.....	167
Deleting data.....	168
Rename a table.....	168

Add a field.....	169
2.9 Process and Activity Life Cycle.....	170
Process	170
Services	170
The Activity Concept.....	170
Activity_Pause and Activity_Resume	170
Activity Module	171
The Activity Template.....	171
Activity Attributes	171
Variables within an Activity.....	171
Local Variables	171
Global Variables	172
Activity Globals	172
Sub Process_Globals	172
Sub Globals.....	172
Sub Activity_Create (FirstTime As Boolean)	172
Sub Activity_Pause (UserClosed As Boolean)	173
When is Activity_Pause called?.....	173
How to use Activity_Pause	174
Sub Activity_Resume	174
StartActivity (Activity As Object).....	174
Activity.Finish vs ExitApplication	175
2.10 Modules	177
Creating or Adding Modules.....	177
Activity Module	177
Activity Attributes	177
Creating the Page	178
Activity Events	178
Creating a Menu	179
Activities vs Windows Forms	179
Multiple Activity Modules	179
Class module.....	180
What is a Class?	180
Benefits of Classes	180
Example	180
Public vs Private Variables.....	181
Classes vs Types	182
Classes vs Code Modules	182
Adding a class module	182
Classes structures.....	182
Polymorphism	183
Self reference.....	184
Classes and Activity Object.....	185
Limitations of Classes.....	185
Code module.....	185

Service Module	185
Why use a Service	185
Alternative to an Activity	186
When Does Android Kill a Process?	186
Android's View of Services	186
How to Start a Service	186
Service Code	186
Service Attributes	187
SubRoutines	187
When to Use a Service	188
Notifications	188
Sample Projects Using Services	189
2.11 Publishing and Monetizing Your App	190
User Help	190
Branding and Marketing	190
Setting Your Project Parameters	190
Package Name	190
Project Attributes	190
Setting Icons	190
Google Play Store Icon	191
Launcher Icon	191
Creating Icons	191
Sources of Icons	191
Notification Icon Recommendations	191
Icon Sizes	191
Installing Icons	192
Generating Your APK	193
APK File	193
Keys and Certificates	193
Signing	193
Debugging Certificates	193
Signing for Distribution	193
Creating A Private Key	193
The KeyStore	194
Compiling the APK	195
Monetising Your App	195
Ways of Monetizing Your App	195
Libraries Supporting Advertising	195
AdMob	195
AdiQuity	195
Matomy	196
TapForTap	196
Selling Your App	196
In-App Billing	196
Licensing	196
Registering as a Google Play Developer	197

Register as a Google Play Developer	197
Merchant Account	197
Prepare Your App's Google Play Page	197
User Support	197
Google Play Developer Console	197
Upload your App to Google Play	198
Distributing Apps elsewhere	198
Preparing the User's Device.....	198
Amazon Appstore	198
By Email	198
Downloading from a website	198
Other App Publishers	198
2.12 Getting More Help	200
Anywhere Software	200
Forum 200	
Chat Room	200
Video Tutorials	201
On-Line Tutorials	201
Twitter 201	
Linked In.....	201
On-line Documentation.....	201
PDF Guides.....	201
Library Browsers.....	201
B4a Object Browser	201
B4AHelp	202
Part 3: Language and Core Objects.....	203
3.1 Basic4Android's Language.....	204
BASIC	204
Basic4Android	204
Lexical Rules.....	204
Statement Separator.....	204
Comments	204
Splitting Long Lines	205
Variables205	
Constants	205
Types 206	
Primitive Types	206
Hex Literals.....	207
Non-Primitive Types	207
Core Types	207
Reference to Non-Primitives	207
Type Conversion.....	207
Rank.....	208
Creating Your Own Types.....	208
Objects 208	









Initialization of Objects	208
Declaring Variables.....	209
Dim Statement.....	209
No Option Explicit	210
Allocating Values.....	210
Type Checking.....	210
Use of Unassigned Variables.....	211
Pass by Value	211
Pass by Reference	211
Naming of Variables.....	212
Hungarian Notation.....	213
Arrays 213	
Dimensions	213
Declaring an Array.....	213
Saving and Retrieving Data	214
Filling an array using the Array keyword.....	215
Arrays of Objects.....	215
Array Dimensions are Fixed	215
Lists 215	
Maps 216	
Type variables	216
Declaring Types.....	216
Recursive Types.....	216
Casting 217	
Visibility and Lifetime of Variables and Subs.....	217
Visibility Between Modules.....	217
Sub Process_Globals	218
Sub Globals.....	219
Activity Global Variables	219
Class_Globals	219
Subroutines	219
Variables in Subs	220
Expressions and Operators.....	220
Mathematical expressions.....	220
Relational Operators.....	220
Logical Operators	221
Regular Expressions	221
Conditional statements.....	222
If – Then – Else – End If	222
Select – Case	223
Loop structures.....	225
For – Next.....	225
For-Each	226
Do-While	227
Do-Until	228
Exit a Loop	228

Differences between Basic4Android and Visual Basic	228
Subs 229	
Declaring a Sub	229
Naming	229
Calling a Sub	229
Parameters	230
Returned value	230
Creating Tooltips for Subs	230
Events 230	
Core Object Events.....	230
Reacting to an Event.....	230
Example	231
Shared Event Handler.....	231
View Events.....	232
Commonest View Events	233
Error Handling.....	235
Runtime Errors	235
Exceptions	235
Uncaught Runtime Exceptions	235
Try-Catch	236
When to use a Try-Catch	236
String manipulation.....	237
Mutable Strings	237
The String functions	237
Number formatting.....	238
Keywords.....	239
= Abs (Number As Double) As Double	239
= ACos (Value As Double) As Double	239
= ACosD (Value As Double) As Double	239
= Array.....	239
= Asc (Char As Char) As Int.....	240
= ASin (Value As Double) As Double	240
= ASinD (Value As Double) As Double.....	240
= ATan (Value As Double) As Double	240
= ATan2 (Y As Double, X As Double) As Double	240
= ATan2D (Y As Double, X As Double) As Double	240
= ATanD (Value As Double) As Double	240
= BytesToString (Data() As Byte, StartOffset As Int, Length As Int, CharSet As String) As String	240
= CallSub (Component As Object, Sub As String) As String.....	241
= CallSub2 (Component As Object, Sub As String, Argument As Object) As String	241
= CallSub3 (Component As Object, Sub As String, Argument1 As Object,	

Argument2 As Object) As String	241
◆ CallSubDelayed (Component As Object, Sub As String)	241
◆ CallSubDelayed2 (Component As Object, Sub As String, Argument As Object)	242
◆ CallSubDelayed3 (Component As Object, Sub As String, Argument1 As Object, Argument2 As Object)	242
◆ CancelScheduledService (Service As Object)	242
◆ Catch	242
◆ cE As Double	242
◆ Ceil (Number As Double) As Double	242
◆ CharsToString (Chars() As Char, StartOffset As Int, Length As Int) As String	242
◆ Chr (UnicodeValue As Int) As Char	242
◆ ConfigureHomeWidget (LayoutFile As String, EventName As String, UpdateIntervalMinutes As Int, WidgetName As String) As RemoteViews	243
◆ Continue	243
◆ Cos (Radians As Double) As Double	243
◆ CosD (Degrees As Double) As Double	243
◆ cPI As Double	244
◆ CRLF As String	244
◆ Density As Float	244
◆ Dim	244
◆ DipToCurrent (Length As Int) As Int	244
◆ DoEvents	245
◆ Exit	245
◆ ExitApplication	245
◆ False As Boolean	245
◆ File As File	245
◆ Floor (Number As Double) As Double	245
◆ For	245
◆ For Each	246
◆ GetDeviceLayoutValues As LayoutValues	246
◆ GetType (object As Object) As String	246
◆ If	247
◆ InputList (Items As List, Title As String, CheckedItem As Int) As Int	247
◆ InputMap (Items As Map, Title As String)	248
◆ InputMultiList (Items As List, Title As String) As List	248
◆ Is	249
◆ IsBackgroundTaskRunning (ContainerObject As Object, TaskId As Int) As Boolean	249




















IsNumber (Text As String) As Boolean.....	250
IsPaused (Component As Object) As Boolean	250
LastException As Exception.....	250
LoadBitmap (Dir As String, FileName As String) As Bitmap	250
LoadBitmapSample (Dir As String, FileName As String, MaxWidth As Int, MaxHeight As Int) As Bitmap.....	250
Log (Message As String).....	251
Logarithm (Number As Double, Base As Double) As Double	251
Max (Number1 As Double, Number2 As Double) As Double	251
Me As Object	251
Min (Number1 As Double, Number2 As Double) As Double.....	251
Msgbox (Message As String, Title As String).....	251
Msgbox2 (Message As String, Title As String, Positive As String, Cancel As String, Negative As String, Icon As Bitmap) As Int	251
Not (Value As Boolean) As Boolean	252
Null As Object	252
NumberFormat (Number As Double, MinimumIntegers As Int, MaximumFractions As Int) As String.....	252
NumberFormat2 (Number As Double, MinimumIntegers As Int, MaximumFractions As Int, MinimumFractions As Int, GroupingUsed As Boolean) As String	252
PerXToCurrent (Percentage As Float) As Int	252
PerYToCurrent (Percentage As Float) As Int	253
Power (Base As Double, Exponent As Double) As Double.....	253
ProgressDialogHide.....	253
ProgressDialogShow (Text As String)	253
ProgressDialogShow2 (Text As String, Cancelable As Boolean).....	253
QUOTE As String	253
Regex As Regex	254
Return.....	254
Rnd (Min As Int, Max As Int) As Int	254
RndSeed (Seed As Long).....	254
Round (Number As Double) As Long.....	254
Round2 (Number As Double, DecimalPlaces As Int) As Double.....	254
Select	254
Sender As Object.....	255
Sin (Radians As Double) As Double.....	255
SinD (Degrees As Double) As Double	255
Sqrt (Value As Double) As Double	255
StartActivity (Activity As Object)	255







= StartService (Service As Object)	256
= StartServiceAt (Service As Object, Time As Long, DuringSleep As Boolean)	256
= StopService (Service As Object)	256
= Sub	256
= SubExists (Object As Object, Sub As String) As Boolean	257
TAB As String	257
= Tan (Radians As Double) As Double	257
= TanD (Degrees As Double) As Double	257
= ToastMessageShow (Message As String, LongDuration As Boolean)	257
True As Boolean	257
= Try	257
= Type	257
= Until	258
= While	258
3.2 VB6 versus B4A	259
Controls vs. Views	259
Dim 259	
ReDim 259	
Boolean Operations	259
Not	260
Using Integers as Boolean	260
Global Const	260
Repeating Structures	260
For...Next	260
Loops, If-Then, Select Case	260
Exit	260
ElseIf/EndIf	260
Colors 261	
Subroutines	261
Declaring a Sub	261
Calling a sub	261
Functions	261
Exit Sub 261	
DoEvents	261
Format 261	
InputBox 262	
MsgBox 262	
Random Numbers	262
Rnd	262
RndSeed	262
Randomize	262
Round 263	



























Val()	263
SetFocus	263
Divide by Zero	263
Shell	263
Timer	264
TabIndex	264
Setting Label Transparency	264
Constants	264
String “Members”	264
Left\$ and Right\$	265
Len	265
Replace	265
Case	265
Trim	265
Instr	265
Error Trapping	266
VB6	266
Basic4Android	266
“Immediate Window” vs. “Logs” Tab	266
3.3 Core Objects	267
List of Core Objects	267
General	267
Constants	267
Drawing Objects	267
File Objects	268
Views	268
Activity	268
Activity Events	269
Click	269
KeyPress and KeyUp Events	269
LongClick	269
Touch (Action As Int, X As Float, Y As Float)	269
Activity Members	270
 ACTION_DOWN As Int	271
 ACTION_MOVE As Int	271
 ACTION_UP As Int	271
 AddMenuItem (Title As String, EventName As String)	271
 AddMenuItem2 (Title As String, EventName As String, Bitmap1 As Bitmap)	271
 AddMenuItem3 (Title As String, EventName As String, Bitmap1 As Bitmap, AddToActionBar As Boolean)	272
 AddView (View1 As View, Left As Int, Top As Int, Width As Int, Height As Int)	272
 Background As Drawable	272

◆ CloseMenu.....	272
📄 Color As Int [write only].....	272
◆ Finish.....	273
◆ GetAllViewsRecursive As IterableList.....	273
◆ GetStartingIntent As Intent.....	273
◆ GetView (Index As Int) As View.....	273
📄 Height As Int.....	273
◆ Initialize (EventName As String).....	273
◆ Invalidate.....	273
◆ Invalidate2 (Rect1 As Rect).....	273
◆ Invalidate3 (Left As Int, Top As Int, Right As Int, Bottom As Int).....	273
◆ IsInitialized As Boolean.....	274
📄 Left As Int.....	274
◆ LoadLayout (Layout As String) As LayoutValues.....	274
📄 NumberOfViews As Int [read only].....	274
◆ OpenMenu.....	274
◆ RemoveAllViews.....	274
◆ RemoveViewAt (Index As Int).....	274
◆ RequestFocus As Boolean.....	274
◆ RerunDesignerScript (Layout As String, Width As Int, Height As Int).....	274
◆ SendToBack.....	274
◆ SetActivityResult (Result As Int, Data As Intent).....	275
◆ SetBackgroundImage (Bitmap1 As Bitmap).....	275
◆ SetLayout (Left As Int, Top As Int, Width As Int, Height As Int).....	275
📄 Tag As Object.....	275
📄 Title As CharSequence.....	275
📄 TitleColor As Int.....	275
📄 Top As Int.....	275
📄 Width As Int.....	275
Bit 275	
Bitwise Operations.....	275
Members:.....	276
◆ And (N1 As Int, N2 As Int) As Int.....	276
◆ Not (N As Int) As Int.....	276
◆ Or (N1 As Int, N2 As Int) As Int.....	276
◆ ParseInt (Value As String, Radix As Int) As Int.....	276
◆ ShiftLeft (N As Int, Shift As Int) As Int.....	277
◆ ShiftRight (N As Int, Shift As Int) As Int.....	277
◆ ToBinaryString (N As Int) As String.....	277

= ToHexString (N As Int) As String.....	277
= ToOctalString (N As Int) As String.....	277
= UnsignedShiftRight (N As Int, Shift As Int) As Int	277
= Xor (N1 As Int, N2 As Int) As Int	277
Constants	277
Colors	277
DialogResponse	278
Gravity	279
KeyCodes	279
Typeface	281
DateTime.....	282
Members:	283
= Add (Ticks As Long, Years As Int, Months As Int, Days As Int) As Long ...	283
= Date (Ticks As Long) As String	284
📅 DateFormat As String	284
= DateParse (Date As String) As Long	284
= DateTimeParse (Date As String, Time As String) As Long	284
📅 DeviceDefaultDateFormat As String [read only]	284
📅 DeviceDefaultTimeFormat As String [read only].....	284
= GetDayOfMonth (Ticks As Long) As Int	284
= GetDayOfWeek (Ticks As Long) As Int	284
= GetDayOfYear (Ticks As Long) As Int.....	284
= GetHour (Ticks As Long) As Int.....	284
= GetMinute (Ticks As Long) As Int.....	285
= GetMonth (Ticks As Long) As Int	285
= GetSecond (Ticks As Long) As Int	285
= GetTimeZoneOffsetAt (Date As Long) As Double.....	285
= GetYear (Ticks As Long) As Int.....	285
= ListenToExternalTimeChanges	285
📅 Now As Long [read only]	285
= SetTimeZone (OffsetHours As Int)	285
📅 TicksPerDay As Long	285
📅 TicksPerHour As Long	285
📅 TicksPerMinute As Long.....	285
📅 TicksPerSecond As Long	286
= Time (Ticks As Long) As String	286
📅 TimeFormat As String.....	286
= TimeParse (Time As String) As Long	286
📅 TimeZoneOffset As Double [read only].....	286
Drawing Objects	286

<u>Bitmap</u>	286
BitmapDrawable	288
<u>Canvas</u>	288
ColorDrawable	296
GradientDrawable	296
<u>Path</u>	297
<u>Rect</u>	297
<u>StateListDrawable</u>	298
Exception	300
Members:	300
 IsInitialized As Boolean	300
 Message As String [read only]	300
File Object	300
Filenames	300
Adding Files to your Project.....	300
File locations	300
Storage Card Folders.....	301
Text encoding.....	301
<u>File</u>	303
<u>InputStream</u>	307
<u>OutputStream</u>	308
<u>TextReader</u>	309
<u>TextWriter</u>	310
Intent 311	
Members:	312
 Action As String	312
 ACTION_APPWIDGET_UPDATE As String	312
 ACTION_CALL As String	313
 ACTION_EDIT As String	313
 ACTION_MAIN As String	313
 ACTION_PICK As String	313
 ACTION_SEND As String	313
 ACTION_VIEW As String	313
 AddCategory (Category As String)	313
 ExtrasToString As String	313
 Flags As Int	313
 GetData As String	313
 GetExtra (Key As String) As Object	313
 HasExtra (Key As String) As Boolean	313
 Initialize (Action As String , URI As String)	313
 Initialize2 (URI As String , Flags As Int)	313
 IsInitialized As Boolean	314

 PutExtra (Name As String , Value As Object)	314
 SetComponent (Component As String)	314
 SetType (Type As String).....	314
 WrapAsIntentChooser (Title As String)	314
LayoutValues.....	314
Members:	314
 ApproximateScreenSize As Double [read only]	315
 Height As Int	315
 Scale As Float	315
 toString As String	315
 Width As Int	315
List 315	
How to use a List.....	315
Members:	317
Map 320	
How to use a Map.....	321
Members:	322
<u>MediaPlayer</u>	324
Event: Complete.....	324
Members:	324
 Duration As Int [read only].....	325
 Initialize	325
 Initialize2 (EventName As String)	325
 IsPlaying As Boolean	325
 Load (Dir As String , FileName As String)	325
 Looping As Boolean	325
 Pause	325
 Play.....	325
 Position As Int	325
 Release.....	326
 SetVolume (Right As Float , Left As Float)	326
 Stop	326
Notification	326
Permissions:	327
Members:	327
 AutoCancel As Boolean [write only].....	327
 Cancel (Id As Int).....	327
 Icon As String [write only].....	327
 Initialize	328
 Insistent As Boolean [write only]	328
 IsInitialized As Boolean	328

 Light As Boolean [write only]	328
 Notify (Id As Int).....	328
 Number As Int	328
 OnGoingEvent As Boolean [write only]	328
 SetInfo (Title As String , Body As String , Activity As Object).....	328
 SetInfo2 (Title As String , Body As String , Tag As String , Activity As Object)	328
 Sound As Boolean [write only].....	329
 Vibrate As Boolean [write only].....	329
RemoteViews	329
Events:	329
Members:	329
 HandleWidgetEvents (StartingIntent As Intent) As Boolean	330
 SetImage (ImageViewName As String , Image As Bitmap)	330
 SetProgress (ProgressBarName As String , Progress As Int)	330
 SetText (ViewName As String , Text As String)	330
 SetTextColor (ViewName As String , Color As Int)	330
 SetTextSize (ViewName As String , Size As Float)	330
 SetVisible (ViewName As String , Visible As Boolean)	330
 UpdateWidget	330
Service 330	
Members:	331
 StartForeground (Id As Int , Notification1 As Notification).....	331
 StopForeground (Id As Int).....	331
String 331	
Immutable Strings.....	331
Mutable Strings	331
Number formatting.....	331
String Functions Library.....	331
Members:	331
 CharAt (Index As Int) As Char	332
 CompareTo (Other As String) As Int	332
 Contains (SearchFor As String) As Boolean	332
 EndsWith (Suffix As String) As Boolean	332
 EqualsIgnoreCase (other As String) As Boolean	332
 GetBytes (Charset As String) As Byte()	333
 IndexOf (SearchFor As String) As Int	333
 IndexOf2 (SearchFor As String , Index As Int) As Int	333
 LastIndexOf (SearchFor As String) As Int	333
 LastIndexOf2 (SearchFor As String , Index As Int) As Int	333

= Length As Int	333
= Replace (Target As String , Replacement As String) As String	333
= StartsWith (Prefix As String) As Boolean	333
= SubString (BeginIndex As Int) As String	333
= SubString2 (BeginIndex As Int , EndIndex As Int) As String	333
= ToLowerCase As String	334
= ToUpperCase As String	334
= Trim As String	334
StringBuilder	334
Members:	334
= Append (Text As String) As StringBuilder	335
= Initialize	335
= Insert (Offset As Int , Text As String) As StringBuilder	335
= IsInitialized As Boolean	335
= Length As Int [read only]	335
= Remove (StartOffset As Int , EndOffset As Int) As StringBuilder	335
= ToString As String	335
Timer 335	
Event: Tick	336
Example:	336
Members:	336
= Enabled As Boolean	337
= Initialize (EventName As String , Interval As Long)	337
= Interval As Long	337
= IsInitialized As Boolean	337
Views 337	
<u>AutoCompleteEditText</u>	338
<u>Button</u>	343
<u>CheckBox</u>	346
CustomView	348
<u>EditText</u>	349
<u>HorizontalScrollView</u>	353
<u>ImageView</u>	356
<u>Label</u>	358
<u>ListView</u>	361
<u>Panel</u>	367
<u>ProgressBar</u>	370
<u>RadioButton</u>	373
<u>ScrollView</u>	375
<u>SeekBar</u>	378
<u>Spinner</u>	380
<u>TabHost</u>	384

<u>ToggleButton</u>	388
<u>View</u>	391
<u>WebView</u>	394
Part 4: Libraries	398
4.1 Libraries	399
Introduction	399
What is a library?.....	399
Types of Libraries.....	399
Core Library	399
Standard Libraries.....	399
Additional Official Libraries	399
Additional User Libraries.....	399
Additional libraries folder	399
Telling the IDE where to find Additional Libraries	400
Error message “Are you missing a library reference?”	400
Referencing Libraries.....	400
Creating Libraries	400
More Information Creating Libraries.....	401
Benefits of creating Libraries.....	401
Preparing Your Library	401
Main Activity Excluded	401
Library specific attributes	401
Project attributes	401
Module Attributes	402
Classes Attributes	402
How to Compile a Library.....	402
Output.....	402
No Home Screen Widget Libraries	402
How to publish your library.....	402
4.2 Standard Libraries included with Full Version	403
Introduction	403
List of Standard Libraries	403
Accessibility Library	404
List of types:	404
Accessibility	404
Members:	404
= GetUIFontScale As Float	404
= SetContentDescription (View1 As View , Content As CharSequence).....	404
= SetNextFocusDown (ThisView As View , NextView As View).....	404
= SetNextFocusLeft (ThisView As View , NextView As View)	405
= SetNextFocusRight (ThisView As View , NextView As View).....	405
= SetNextFocusUp (ThisView As View , NextView As View)	405
Administrator Library	405
OnLine Link	405

List of types:	405
<u>AdminManager</u>	406
Animation Library	407
<u>Animation</u>	407
List of types:	407
Audio Library	410
List of types:	410
<u>AudioRecordApp</u>	410
<u>Beeper</u>	411
<u>JetPlayer</u>	412
<u>MediaPlayerStream</u>	414
<u>SoundPool</u>	416
<u>VideoRecordApp</u>	417
<u>VideoView</u>	418
Camera Library	421
List of types:	421
<u>Camera</u>	422
Daydream Library	423
List of types:	423
<u>Daydream</u>	423
GameView Library	424
Tutorial	424
List of types:	424
<u>BitmapData</u>	425
<u>GameView</u>	425
GPS Library	427
List of types:	428
<u>GPS</u>	428
<u>GPSSatellite</u>	429
<u>Location</u>	430
HTTP Library	432
List of types:	432
<u>HttpClient</u>	432
<u>HttpRequest</u>	433
<u>HttpResponse</u>	435
IME Library	436
List of types:	437
<u>IME</u>	437
JSON Library	438
List of types:	438
<u>JSONGenerator</u>	439
<u>JSONParser</u>	439
LiveWallpaper Library	440
List of types:	440
<u>LWEngine</u>	440
<u>LWManager</u>	441

Network Library	442
List of types:	442
<u>ServerSocket</u>	442
<u>Socket</u>	443
<u>UDPPacket</u>	445
<u>UDPSocket</u>	446
NFC Library	447
List of types:	447
<u>NdefRecord</u>	447
<u>NFC</u>	448
Phone Library	448
<u>CallItem</u>	449
<u>CallLog</u>	449
<u>Contact</u>	451
<u>Contacts</u>	453
<u>Contacts2</u>	453
<u>ContentChooser</u>	455
<u>Email</u>	456
<u>LogCat</u>	457
<u>PackageManager</u>	458
<u>Phone</u>	459
<u>PhoneAccelerometer</u>	463
<u>PhoneCalls</u>	463
<u>PhoneEvents</u>	463
<u>PhoneId</u>	466
<u>PhoneIntents</u>	466
<u>PhoneOrientation</u>	467
<u>PhoneSensors</u>	467
<u>PhoneSms</u>	471
<u>PhoneVibrate</u>	472
<u>PhoneWakeState</u>	472
<u>RingtoneManager</u>	473
<u>Sms</u>	475
<u>SmsInterceptor</u>	475
<u>SmsMessages</u>	476
<u>VoiceRecognition</u>	477
PreferenceActivity Library	478
List of types:	479
<u>PreferenceCategory</u>	479
<u>PreferenceManager</u>	481
<u>PreferenceScreen</u>	481
RandomAccessFile Library	483
List of types:	483
<u>AsyncStreams</u>	483
<u>CompressedStreams</u>	484
<u>CountingInputStream</u>	486

<u>CountingOutputStream</u>	488
<u>RandomAccessFile</u>	488
Serial Library	491
List of types:.....	491
<u>BluetoothAdmin</u>	491
<u>Serial</u>	493
Sip Library	496
List of types:.....	496
<u>Sip</u>	496
<u>SipAudioCall</u>	498
SQL Library	499
List of types:.....	499
<u>Cursor</u>	499
<u>SQL</u>	501
StringUtils Library	505
List of types:.....	505
<u>StringUtils</u>	505
TTS Library	507
<u>TTS</u>	507
USB Library.....	508
List of types:.....	508
<u>MtpDevice</u>	509
<u>UsbAccessory</u>	509
<u>UsbDevice</u>	510
<u>UsbDeviceConnection</u>	511
<u>UsbEndpoint</u>	512
<u>UsbInterface</u>	512
<u>UsbManager</u>	513
<u>UsbRequest</u>	515
XmlSax Library	515
XML	515
Sax.....	515
List of types:.....	516
<u>Attributes</u>	516
<u>SaxParser</u>	516
4.3 Additional Libraries and Modules.....	518
Introduction	518
Additional libraries folder	518
Telling the IDE where to find additional libraries.....	518
List of Additional Libraries	518
Additional Official Libraries.....	518
<u>Adiquity</u>	519
<u>AdMob</u>	519
<u>AnotherDatePicker class</u>	519
<u>AsyncStreamsText</u>	519
<u>Analytics</u>	519

Audio v1.31	519
Camera	519
CameraEx	519
CustomListView	519
DateUtils	519
DBUtils	519
DropBox Sync	519
Excel	520
GamePad	520
Google Maps	520
HttpServer	520
HttpUtils2	520
InAppBilling	520
JSch	520
JTidy	520
KeyValueStore	520
Licensing	520
Net	520
OAuth	521
PayPal	521
SearchView	521
SMB	521
Speak Button	521
SQLCipher	521
StateManager	521
TableView	521
Tap for Tap	521
USB Host	521
USBSerial	521
XMLBuilder	522
YouTube	522
Additional User Libraries	522
Introduction	522
List of libraries	522
Additional User Libraries	522
Downloading User Libraries	522
How to create a library	522
How to Share your Library	522
License	522
To load or update a library	523
Which ones does a project need?	523
Dialogs Library	523
Source	523
Notes	523
ColorDialog	524
ColorDialogHSV	525

ColorPickerDialog	527
CustomDialog	528
CustomDialog2	529
DateDialog	529
FileDialog	530
InputDialog	532
NumberDialog	533
TimeDialog	535
Reflection Library	536
Source	536
Notes	536
List of types:	536
Reflector	536
TabHostExtras Library	544
getTabContentViewPadding (tabHost1 As TabHost) As RectWrapper	544
getTabEnabled (tabHost1 As TabHost, index As Int) As Boolean	544
getTabHeight (tabHost1 As TabHost) As Int	544
getTabHostPadding (tabHost1 As TabHost) As RectWrapper	544
getTabTextSize (tabHost1 As TabHost) As Float	544
getTabVisibility (tabHost1 As TabHost, index As Int) As Boolean	544
setTabContentViewPadding (tabHost1 As TabHost, left As Int, top As Int, right As Int, bottom As Int)	544
setTabEnabled (tabHost1 As TabHost, enabled As Boolean)	544
setTabEnabled2 (tabHost1 As TabHost, enabled As Boolean, index As Int)	544
setTabGradientDrawable (tabHost1 As TabHost, orientation As String, color1 As Int, color2 As Int, cornerRadius As Float)	545
setTabGradientDrawable2 (tabHost1 As TabHost, orientation As String, color1 As Int, color2 As Int, cornerRadius As Float())	545
setTabHeight (tabHost1 As TabHost, tabHeight As Int)	545
setTabHostPadding (tabHost1 As TabHost, left As Int, top As Int, right As Int, bottom As Int)	545
setTabTextColor (tabHost1 As TabHost, Color As Int)	545
setTabTextColorStateList (tabHost1 As TabHost, ColorStateListName As String)	545
setTabTextSize (tabHost1 As TabHost, TextSize As Float)	545
setTabTitle (tabHost1 As TabHost, Title As String, TabIndex As Int)	545
setTabVisibility (tabHost1 As TabHost, visible As Boolean)	546
setTabVisibility2 (tabHost1 As TabHost, visible As Boolean, index As Int)	546